

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: OMMISSIONER FOR PATENTS P.O. Box 1450 Alexandra, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/989,866	11/19/2001	Yoshitoshi Kurose	FUJO19.189	2344	
7590 06/26/2006			EXAMINER		
Rosenman & Colin LLP 575 Madison Avenue New York, NY 10022-2585			JOO, JOSHUA		
			ART UNIT	PAPER NUMBER	
			2154	2154	
			DATE MAILED: 06/26/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	09/989,866	KUROSE ET AL.
Office Action Summary	Examiner	Art Unit
	Joshua Joo	2154
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) ⊠ Responsive to communication(s) filed on <u>07 F</u> 2a) □ This action is <b>FINAL</b> . 2b) ⊠ This  3) □ Since this application is in condition for allowa closed in accordance with the practice under E	s action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) ⊠ Claim(s) 1-15 is/are pending in the application 4a) Of the above claim(s) is/are withdra  5) □ Claim(s) is/are allowed.  6) ⊠ Claim(s) 1-15 is/are rejected.  7) □ Claim(s) is/are objected to.  8) □ Claim(s) are subject to restriction and/or	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on 19 November 2001 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	re: a) ☐ accepted or b) ☑ object drawing(s) be held in abeyance. See tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119	•	•
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	s have been received. s have been received in Applicati nty documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 12/6/05	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	

Application/Control Number: 09/989,866 Page 2

Art Unit: 2154

# Response to RCE/Amendment filed 2/7/2006

1. Claims 1-15 are presented for examination.

#### **Drawings**

2. Figures 1-2 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 3-4 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
  - i) As per claim 3, the intending meaning of the limitation of "a route comparison section communications route used prior to a new network service request with a communications route determined by the priority route selecting section" is not clear.

    Does Applicant mean, "a route comparison section *comparing a* communication route used prior…"?

Art Unit: 2154

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1, 6, and 11 are rejected under 35 U.S.C. 102(e) as being unpatentable by Baugher et al, US Patent #6,101,549 (Baugher hereinafter), in view of Baugher et al, US Patent #5,581,703 (Baugher '703 hereinafter).
- 7. As per claims 1, 6, and 11, Baugher teaches substantially the invention as claimed including a method, and computer-readable storage medium, where at least one first device which responds to a network service request and at least one second device which does not respond to the network service request are connected and said second device having a setting of which can be modified from outside said second device, Baugher's teachings comprising:

a network information collecting section for obtaining information about a network service provided by the first device, responsive to the network service request, by communicating with said first device (Col 5, lines 29-38. Proxy host receives information regarding requested service and the parameters of the requested service. Col 2, lines 39-41. Hosts are used to implement proxy control of resource reservation.);

a setting device determining section for specifying the second device which does not respond to the network service request based on information from the network information collecting section (Col 1, lines 25-39; Col 2, lines 39-44. Proxy host may control resource reservation because hosts may not be configured for bandwidth reservation protocol. Col 5, lines 44-49. Proxy host sends RESV or PATH messages on behalf of hosts. Col 5, lines 29-39.

Receive parameters and indication for requested service and information of hosts receiving proxy service.);

a service mapping section for mapping network service parameters to be set into parameter values corresponding to the second device specified by the setting device determining section (Col 5, lines 44-49. Message is send to receiving host on behalf of requesting host. Col 5, lines 29-39. Parameters for requested service.); and

a service setting section for communicating with the second device setting the parameter values obtained by the service mapping section in the second device(Col 5, lines 18-26, 44-49.

Proxy host sends RESV or PATH messages on behalf of hosts to receiving hosts.),

thereby said service allocating device responds to the network service request by controlling the parameter values of the second device allowing the second device to provide network service corresponding to the network service provided by the first device, according to the service requested by the first device (Col 2, lines 39-44. Proxy control of functions. Col 5, lines 44-49. Proxy host sends RESV or PATH messages on behalf of hosts. Col 3, lines 24-42. Message contains information required by host to allow for bandwidth reservation requests.).

- 8. Baugher teaches substantial features of the claimed invention including a first device that responds to a network service request and a second first device that does not respond to a network service request. However, Baugher does not teach the first device receiving a network service request from a user.
- 9. Baugher '703 teaches of a host receiving a network service request from a user (Col 7, lines 55-65; Col 10, lines 5-19).
- 10. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Baugher and Baugher '703 because the teachings of

Art Unit: 2154

Baugher '703 for receiving service request from a user would improve the system of Baugher by providing proxy control of network functions to services related user requests, which would improve the level of quality of service for the user.

- 11. Claims 3, 4, 8, 9, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baugher and Baugher '703, in view of Ricciulli, US Patent #6,275,470 (Ricciulli hereinafter).
- 12. As per claims 3, 8, and 13, Baugher teaches of using a proxy host to generate a bandwidth request for routing services. However, Baugher does not teach of a service allocating device according to claim 1, further comprising:

a priority route selecting section selecting a device for providing a higher function of a requested network service, of the first and second devices which are connected to the network, and determining a communications route through which the selected devices are connected and

a route comparison section comparing a communications route used prior to a new network service request with a communications route determined by the priority route selecting section.

- 13. Ricciulli teaches of selecting a route for providing a higher function of requested network service through the network nodes; determining a communications route for servicing the request; and comparing a previously used route with the newly selected route (Col 4, lines 16-53).
- 14. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Baugher, Baugher '703, and Ricciulli because the teachings of Ricciulli of Paragraph 13 would improve the quality of service of the system of Baugher and

Art Unit: 2154

Baugher '703 by providing improved forwarding path that provides better service to user's intended destinations.

Page 6

- 15. As per claims 4, 9, and 14, Baugher teaches of using a proxy host to generate a bandwidth request for routing services. Baugher does not teach the service allocating device according to claim 3, further comprising a route setting generating section determining a communications route suitable for provision of the new network service based on a comparison result obtained by the route comparison section, which performs control so that the new network service can be provided, using a communications route determined by the route setting generating section.
- 16. Ricciulli teaches of determining route suitable for provision of the new network service based on comparison results, and using the determined communications route so that the new network service can be provided (Col 4, lines 38-52).
- 17. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Baugher, Baugher '703, and Ricciulli because the teachings of Ricciulli of Paragraph 16 would improve the quality of service of the system of Baugher and Baugher '703 by providing routing changes that would improve forwarding paths and better service.
- 18. Claims 2, 5, 7, 10, 12, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baugher and Baugher '703, in view of Bertin et al, US Patent #5,687,167 (Bertin hereinafter).

Art Unit: 2154

19. As per claims 2, 7, and 12, Baugher does not teach of a service setting storing section storing setting contents of the first and second devices, which respond to previous network services, and a service competition calculating section checking a competition relation between network service requests from a plurality of users based on information stored in the service setting storing location, adjusting the competition relation, and determining the setting contents of the first and second devices so as to respond to the network service to be provided.

Page 7

- 20. Bertin teaches of storing priority information for network services (Col 2, line 51-44; Col 14, lines 24-33); checking relation between network service requests from a plurality of users based on stored information; adjusting the priorities of users; and determining the setting contents to respond to the network service to provided (Col 13, line 64 Col 14, line 37; Col 17, lines 15-25).
- 21. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Baugher, Baugher '703, and Bertin because all three teachings provide reservation of bandwidth to ensure a stable network connection.

  Furthermore, the teachings of Bertin of Paragraph 20 would improve the system of Baugher and Baugher '703 by efficiently managing traffic to accommodate connections with data of different characteristics and different levels of required service.
- 22. As per claims 5, 10, and 15, Baugher does not teach of the service allocating device according to claim 2, further comprising:

a service stoppage request generating section obtaining information about a network service provision state of the first device, detecting provision stoppage of a network service by

Art Unit: 2154

the first device based on the network service provision state information, and generating a service stoppage request,

a service setting storing section storing a plurality of setting information to the first and second devices, which correspond to a network service that existed before provision stoppage of the network service is detected, and

a service competition calculating section calculating a service competition relation that is modified by the detected provision stoppage of the network service according to both the service stoppage request and storage information of the service setting storing section.

- 23. Bertin teaches of a service allocating system, wherein the system stores the setting information for user connections, and is capable of modifying services based on priorities, bandwidth availability, and termination of connections (Col 13, lines 30-47; Col 14, lines 1-37).
- 24. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Baugher, Baugher '703, and Bertin because all three teachings provide reservation of bandwidth to ensure a stable network connection.

  Furthermore, the teachings of Bertin of Paragraph 23 would improve the system of Baugher and Baugher '703 by adjusting network services to service users based changing conditions in the network and on user requests.

#### Response to Arguments

25. Applicant's arguments filed 2/7/2006 have been fully considered but they are not persuasive. Applicant argued that (1) Baugher fails to suggest any means for reserving the resource of a relay router; (2) In contrast to the device according to Baugher, the service allocating device in a network according to claim 1 is associated with a feature in which the

claim 1 constituting functions, in cooperation enable one of the end-hosts to reserve a resource belonging to another of the end-hosts even if an associated network includes a relaying router that does not respond to an RSVP; (3) Because Levanos is based on an environment in which all are provided with equivalent functions, Levanos nor Baugher disclose or even suggest the configuration according to claim 3; and (4) Bertin, similarly to either Baugher or Livanos, assume a homogenous network in which a network contains nodes, each being provided with an equivalent set of functions. The configuration associated with claim 2 is not taught or anticipated in Bertin or by any combination with Baugher or Livanos.

### Examiner traverses the arguments:

- As to point (1), in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., Means for reserving resource in a router) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).
- As to point (2), in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., Functions to enable one of the end-hosts to reserve a resource belonging to another of the end-hosts even if an associated network includes a relaying router that does not respond to an RSVP) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

28. As to point (3), Examiner has withdrawn the rejection of claim 3 by Levanos. Claim 3 is

now rejected Baugher and Baugher '703, in view of Ricciculli.

29. As to point (4), even though Bertin may not disclose of a heterogeneous network, Baugher teaches of a system wherein hosts are not configured for certain protocols, therefore a heterogeneous system. Furthermore, Bertin teaches the limitations of claim 2 (Col 2, line 51-44; Col 13, line 64 – Col 14, line 37; Col 17, lines 15-25). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Baugher,

Baugher '703, and Bertin with the motivation that the teachings of Bertin would improve the

system of Baugher and Baugher '703 by efficiently managing traffic to accommodate

connections with data of different characteristics and different levels of required service.

Lastly, the Examiner cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

#### Conclusion

- 30. This action is non-final due to Applicant's filing of RCE.
- 31. A shortened statutory period for reply to this Office action is set to expire THREE MONTHS from the mailing date of this action.
- 32. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua Joo whose telephone number is 571 272-3966. The examiner can normally be reached on Monday to Thursday 8AM to 5PM and every other Friday.

Art Unit: 2154

Page 11

33. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John A. Follansbee can be reached on 571 272-3964. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

34. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private

PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 22, 2006 JJ

QIOHN FOLLANSBEE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100